





### THE GEARS AND GUTS THAT GET IT GOING

You've heard it said, "Work smarter, not harder." At NEBO, we ask, "Why can't you do both?" That's what makes the MASTER SERIES different — durable, rugged design coupled with intuitive, feature-rich innovation. Designed for those who put their gear to the test, and who need their tools to work as tirelessly as they do. When the work gets tough, the tough get working!

-1

**Optimised Power Curve**™ efficiently utilizes battery power to provide a steadier and more consistent light beam.





**Smart Power Control**™ creates a seamless transition through light modes to extend battery life.









WATERPROOF 1 Meter · 30 Min



IMPACT-RESISTANT 2 METERS

## FL3000

#### **LIGHT MODES**

- Turbo (3,000 lumens) 30 sec\* / 265 meters
- High (1,500 lumens) 2 hours / 188 meters
- Medium (800 lumens) 4 hours / 106 meters
- Low (100 lumens) 12 hours / 52 meters
- · Strobe (1,500 lumens) 2 hours / 188 meters

#### **DESIGN**

- Rechargeable
- Magnetic Mode Select Dial
- Smart Power Control™ (SPC)
- Optimised Power Curve<sup>™</sup>
- Impact-resistant (2 meters)
- Powerful magnetic baseLED power/charging indicator
- Waterproof (IP67)
- Anodised aircraft-grade aluminium
- Ergonomic rubberised grip

#### OPERATION

 Front-positioned, ON/OFF button; Magnetic Mode Select Dial

#### ACCESSORIES

- Lanyard
- Magnetic charging cable

#### **BATTERIES**

• Powered by (1) 18650 rechargeable battery Recharge time: 2 hours (2.0A) - 8 hours (0.5A)

- 307g (w/battery)
- (H) 173 x (W) 42 x (D) 42 mm



# FL1500

#### **LIGHT MODES**

- Turbo (1,500 lumens) 30 sec\* / 219 meters
- · High (750 lumens) 2 hours / 165 meters
- Medium (350 lumens) 4 hours / 106 meters
- · Low (50 lumens) 12 hours / 51 meters
- · Strobe (750 lumens) 2 hours / 165 meters

#### DESIGN

- Rechargeable
- Magnetic Mode Select Dial
- Smart Power Control™ (SPC)
- Optimised Power Curve  $^{\!\scriptscriptstyle \mathsf{M}}$
- 2x adjustable zoom
- Waterproof (IP67)
- Impact-resistant (2 meters)
- Anodised aircraft-grade aluminium
- Eraonomic rubberised grip
- Powerful magnetic base
- LED power/charging indicator

#### **OPERATION**

 Front-positioned, ON/OFF button; Magnetic Mode Select Dial

#### **ACCESSORIES**

- Lanyard
- Magnetic charging cable

#### **BATTERIES**

• Powered by (1) 18650 rechargeable battery Recharge time: 3 hours (1.0A) - 6 hours (0.5A)

- 217g (w/battery)
- (H) 160 x (W) 37 x (D) 37 mm



## FL750

#### **LIGHT MODES**

- Turbo (750 lumens) 30 sec\* / 121 meters
- · High (375 lumens) 1 hour / 90 meters
- Medium (180 lumens) 2 hours / 63 meters
- Low (45 lumens) 6 hours / 28 meters
- · Strobe (375 lumens) 1 hour / 90 meters

#### **DESIGN**

- Rechargeable
- Magnetic Mode Select Dial
- Smart Power Control™ (SPC)
- Optimised Power Curve  $^{\!\scriptscriptstyle \mathsf{M}}$
- 2x adjustable zoom
- Pocket clip
- Waterproof (IP67)
- Impact-resistant (2 meters)
- Anodised aircraft-grade aluminium
- Ergonomic rubberised grip
- Powerful magnetic base
- · LED power/charging indicator

#### OPERATION

Front-positioned, ON/OFF button;
Magnetic Mode Select Dial

#### **ACCESSORIES**

- Lanyard
- Magnetic charging cable

#### BATTERIES

• Powered by (1) 16340 rechargeable battery Recharge time: 3 hours (1.0A) - 6 hours (0.5A)

- 160g (w/battery)
- (H) 139 x (W) 35 x (D) 35 mm



# PL500

#### **LIGHT MODES**

- Turbo (500 lumens) 30 sec\* / 70 meters
- · High (250 lumens) 2 hours / 49 meters
- Medium (125 lumens) 4 hours / 36 meters
- · Low (25 lumens) 8 hours / 21 meters
- Strobe (250 lumens) 2 hours / 49 meters

#### DESIGN

- USB-C rechargeable
- Magnetic Mode Select Dial
- Smart Power Control™ (SPC)
- Optimised Power Curve $^{\text{\tiny M}}$
- 4x adjustable zoom
- Pocket clip
- Waterproof (IP67)
- Impact-resistant (2 meters)
- Anodised aircraft-grade aluminum
- Ergonomic rubberised grip
- Powerful magnetic base
- · LED power/charging indicator

#### **OPERATION**

• Front-positioned, ON/OFF button; Magnetic Mode Select Dial

#### **ACCESSORIES**

- Lanyard
- USB-C charging cable

#### **BATTERIES**

• Powered by (1) 10850 rechargeable battery Recharge time: 2 hours (1.0A) - 4 hours (0.5A)

- · 74g (w/battery)
- (H) 165 x (W) 19 x (D) 19 mm



### **NEBO** HL1000

#### **LIGHT MODES**

- Turbo (1,000 lumens) 30 sec\* / 138 meters
- · High (500 lumens) 2 hours / 102 meters
- Medium (200 lumens) 5 hours / 63 meters
- Low (30 lumens) 40 hours / 26 meters
- · Strobe (500 lumens) 2 hours / 102 meters

#### DESIGN

- USB-C rechargeable
- Magnetic Mode Select Dial
- Smart Power Control™ (SPC)
- Optimised Power Curve™
- Powerful magnetic base
- Detachable mount
- Waterproof (IP67)
- Impact-resistant (2 meters)
- Anodised aircraft-grade aluminium
- LED power/charging indicator

#### OPERATION

 Front-positioned, ON/OFF button; Magnetic Mode Select Dial

#### **ACCESSORIES**

- Adjustable head strap
- USB-C charging cable

#### **BATTERIES**

• Powered by (1) 18650 rechargeable battery Recharge time: 3.5 hours (1.0A) - 7 hours (0.5A)

- 135g (w/battery)
- Light only: (H) 28 x (W) 36 x (D) 99 mm



### **NEBO SL25**

#### **LIGHT MODES**

- Spot (500 lumens) 6.5 hours / 400 meters
- White COB (600 lumens) 6 hours / 38 meters
- Red C·O·B (30 lumens) 10.5 hours / 12 meters

#### DESIGN

- USB-C rechargeable
- Magnetic Mode Select Dial
- Smart Power Control™ (SPC)
- Optimised Power Curve<sup>™</sup>
- Tripod mountable (1/4-20)
- Reversible/removable steel clip
- · Waterproof (IP67)
- Impact-resistant (2 meters)
- Anodised aircraft-grade aluminium
- Ergonomic rubberised grip
- Powerful magnetic base
- LED power/charging indicator

#### OPERATION

• Front-positioned, ON/OFF trigger button; rear-positioned Magnetic Mode Select Dial

#### ACCESSORIES

- Lanyard
- USB-C charging cable

#### **BATTERIES**

• Powered by (2) 21700 rechargeable batteries Recharge time: 3 hours (2.0A) - 12 hours (0.5A)

- 624g (w/battery)
- (H) 195 x (W) 56 x (D) 155 mm

